





Aquila 28 Molokai Power Catamaran Specifications

| Length overall | 7.95 M / 23' 0.8" |
|--|---------------------|
| | |
| Hull length | 7.6 M / 24'9" |
| | |
| Beam | 2.96 M / 9' 8.5" |
| | |
| Hull draft (motors up) | 0.34 M / 1'1.2" |
| | |
| Hull draft (motors down) | 0.77 M / 2'6" |
| Defides de sla success | 0.70.14 (71.0.57 |
| Bridgedeck clearance | 0.32 M / 1' 0.5" |
| Trailering height* (excluding electronics and trailer) *Measured from keel to top of fiberglass hardtop without electronics | |
| installed, not including the trailer. | 3.37 M / 11' 0.5" |
| | |
| Dry weight (with dual 150 HP outboard engines) | 2,797 KG / 6,166 LB |

Tankage

| Fuel tank (approx.) | 2X 285 = 570 L / 2X 75 = 150 GAL |
|-----------------------------------|----------------------------------|
| Freshwater capacity | 60 L / 16 GAL |
| Livewell capacity | 113 L / 30 GAL |
| Fishbox capacity (2 fish boxes) | 2X 356 = 712 L / 2X 94 = 188 GAL |
| FRP Lined Storage Locker Capacity | |

(2 boxes)

2X 197 = 394 L / 2X 104 = 208 GAL

CE certification B (offshore):8 PAX; C (coastal):12 PAX; D (inland):14 PAX

Propulsion

| Standard | 2X MERCURY 150 HP (300 HP total) |
|----------|----------------------------------|
| Optional | 2X MERCURY 225 HP (450 HP total) |

Features


Proven and tested hull design from Hawaiian waters offering best in class offshore handling capabilities Highest tunnel clearance in class offering better air cushion and reduced hull noise when fishing/trolling 360-degree walk around fishability

Central walkthrough with door at transom offering direct access to stern/excellent for fishing, diving, and recreational water access


Forward console hinged door opening for easy access to inside console and optional toilet with dockside pump out

Class leading deck space for fishing and entertainment Quality electric including AGM batteries as standard

All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non binding and customer must enter into contractual agreement with the Dealer or Agent of Record.



STANDARD MAIN DECK W/ TOP



STANDARD MAIN DECK



Hull Features

Aquila Protection Plan: 5 Year hull/deck structural warranty White gelcoat

Vinyl ester resin infused hull, deck, cockpit floor and bulkheads Infused fiberglass structural grid

Bow eye 316L stainless steel

Integrated transom walkthrough between engines

Rub rail: High density PVC with solid 316L stainless steel insert Removable boarding ladder with stainless steel grab rails

mounted on deck

Four (4) separated compartments in each hull which can be individually drained or completely isolated

Designated below deck rigging conduits

Stainless steel drain plugs in each hull at transom

Deck Features

Rub rail with solid 316L stainless steel insert

Molded one piece deck and cockpit liner with non-skid pattern area Flush mounted integral anchor locker with fiberglass lid

- Flush mounted lockers on port and starboard side of anchor locker with fiberglass lid
- Seven (7) through bolted 8" pop up cleats; stern (2), spring (2) and bow (3)
- Molded split bow seating with cushions and storage below Integrated deck level 316L stainless steel railing

Molded recessed hatches with gaskets and stainless steel latches Transom stainless steel rails bolted to deck for ease of water access Seating at forward bow with optional forward facing seats with

backrests

Flush mounted central storage locker in bow seating

Bolster cushions installed on gunwale throughout boat

Deck access fiberglass storage locker on port and starboard side of helm console (103 gal each)

- Designated fiberglass deck access lockers for easy access to aluminum fuel tanks
- Port and starboard deck access insulated fish boxes each with designated macerator pump outs (94 gal each)

Port and starboard deck access mechanical area hatches

Large hinged door for easy access into console area with optional toilet

Forward facing seating for two (2) passengers in front of console with integrated cushions

Cockpit Features

Centrally located aft removable door for easy access to transom and swim ladder

Fresh water pull out shower at transom (cold water only)

Four (4) drink holders located behind helm seats

Aft cockpit recessed and forward facing fold out seating with cushions on port and starboard side

Two (2) large cockpit drains for fast overboard discharge

- Two (2) custom designed helm seating
- Molded helm seat console with four (4) drink holders, two (2) dedicated tackle storages with removable trays
- Large tackle storage locker with removable trays and designated
 - storage area located above sink and livewell
- Integrated cutting board with sink and fold down faucet with fresh water supply

Livewell (30 gal) with integrated perspex lid and easy flow control valve Stainless steel grab rail around leaning post Integrated hatches allowing easy access to batteries, fresh water tank, and electrical connections

Fusion Marine Entertainment System: Bluetooth compatible system, MS-RA55 head unit with 4 x 6" speakers in hardtop

Aft cockpit machinery access hatches

Raw water outlet in cockpit with hose

LED cockpit courtesy accent light

Fishing Features

Four (4) stainless steel rod holders in gunwale

- Lighted Caribbean blue 30 gal recirculating livewell with acrylic lid and flow control valve
- Under gunwale rod storage (port and starboard)
- Fish boxes (94 gal each) insulated and diaphragm pumps with overboard discharge (port and starboard)
- Six (6) stainless steel rod holders in transom
- Two (2) tilt out storage boxes on each side of helm seat area with removable trays
- Large tackle storage locker with removable trays and designated storage area with USB charger located above sink and livewell
- Removable cutting board with fresh water sink below

Five (5) hardtop mounted rod holders

Hardtop and Windshield

- Fiberglass hardtop with dedicated radar, antenna and spotlight locations
- Painted fiberglass structural hardtop supports
- Fixed windshield with fresh water supply windshield wiper and control at helm
- Tilt up LED anchor/running light

Port and starboard LED running lights flush mounted on hardtop

Electrical 12v horn recessed mounted

Three (3) forward and aft recessed mounted spreader lights to light up deck area

Five (5) rod holders

Two (2) Kingfish rod holders

Helm

Stainless steel steering wheel with control knob on tilt helm

12v switch panel with push button switches

Compass

Waterproof Fusion full function display with Bluetooth capability (MS-RA55)

Windshield wiper system connected to fresh water supply with control at helm

Bilge pump red indicator light

Stainless steel grab rails

Integrated glove box with dual USB charger

Molded fiberglass footrests

EVA foam padding at helm, on top of console, and at molded fiberglass footrests

Two (2) cup holders

Recessed area next to compass for loose items

Mercury digital SmartCraft gauges



All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non binding and customer must enter into contractual agreement with the Dealer or Agent of Record.

Console

Forward hinged door for access inside console area for storage and optional toilet

Designated storage area for optional removable bow table

Opening port hatch

Easy access to electrical, throttle and steering controls for maintenance Molded floor liner

Designated push button reset 12v fuse panel

Electrical Systems

All wires run through PVC conduits for ease of rigging Dedicated battery switches located under helm seat Three (3) AGM battery system: port engine (1), starboard engine (1), and house (1) Custom built FRP battery tray for house and starter batteries Electronics fuse push to reset fuse panel Dual USB outlet at helm with additional USB outlet in large tackle storage locker above livewell/sink

Mechanical Space

Molded hatch with gasket for easy access Each hull with 750 gph bilge pump with red indicator light at helm Raw water washdown pump with filter and hose Two (2) macerator pumps for fish boxes Mercury power steering pump Livewell pump with filter Valve for draining each individual hull compartment

Fuel System

Two (2) molded hatchs on deck with compression latches for easy access to tank fittings
Two (2) EPA compliant custom aluminum 75 gal fuel tanks with engine pickups, shut off valves, digital level indicator and two (2) deck fuel plates

Two (2) Mercury water separating fuel filters


Water System

16 gal fresh water tank with fill plate Fresh water pump Concealed flip up faucet Molded sink with drain and removable cutting board Transom mounted fresh water shower (cold only)

All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non binding and customer must enter into contractual agreement with the Dealer or Agent of Record.



AVAILABLE PACKAGE: PRO COMFORT



MAIN DECK W/ TOP





estupendanautica.com info@estupendanautica.com 933 87 69 76



All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non binding and customer must enter into contractual agreement with the Dealer or Agent of Record.