

## Aquila 36 Sport Power Catamaran Specifications

Length overall w/ swim platform (excl. anchor roller)	<b>10.96 M / 36' 0"</b>
Hull length	<b>9.94 M / 32' 7"</b>
Beam overall	<b>4.45 M / 14' 7"</b>
Length of waterline	<b>9.3 M / 30' 6"</b>
Height above waterline w/ hard top (excludes electrics and electronics)	<b>3.05 M / 10' 0"</b>
Hull draft (motors up)	<b>60 CM / 2' 0"</b>
Dry displacement	<b>6,608 KG / 14,568 LB</b>
Fully loaded displacement	<b>9,785 KG / 21,572 LB</b>
Optoinal fully enclosed version add	<b>400 KG / 880 LB</b>
Sleeps	<b>4</b>
Max passengers	<b>26</b>
Cabins	<b>2</b>
Heads	<b>2</b>
Showers	<b>2</b>



STANDARD  
MAIN DECK

## Tankage

Fuel tank (approx.)	<b>2x 625 = 1250 L / 2x 165 = 330 GAL</b>
Water tank standard (approx.)	<b>200 L / 52 GAL</b>
Holding tank (approx.)	<b>2x 80 L / 2X 21 GAL</b>


**CE certification** B (offshore):8 PAX; C (coastal):18 PAX; D (inland):26 PAX

## Propulsion

Standard	<b>2x WHITE MERCURY VERADO V8 300 HP W/ JOYSTICK PILOTING CONTROL and 4" VESSELVIEW DISPLAY</b>
Optional	<b>2x WHITE MERCURY VERADO 5.7L V10 400 HP W/ JOYSTICK PILOTING CONTROL and 4" VESSELVIEW DISPLAY</b>

## Construction

Resin infused hull, deck, and bulkhead construction creating high strength and stiffness  
 Solid FRP lamination at hull centerlines including all through hulls  
 Vinyl ester resin with excellent corrosive and water resistant properties  
 NPG gelcoat with superior UV resistance  
 All main FRP components resin infused construction including bulkheads  
 Windows in hull and deck high quality acrylic meeting ISO standards



STANDARD  
CABIN

All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non binding and customer must enter into contractual agreement with the Dealer or Agent of Record.

## Interior Layout

Two (2) cabins with private en-suite showers and fresh water electric toilets

Private lockable companionway hatch to each cabin

## Deck Layout

Forward cockpit seating that comfortably seats eight (8), converts to two (2) large sunbeds

Helm station to starboard with comfortable seating for two (2) passenger seating to port in line with comfortable helm station seating for two (2)

Galley to starboard with Corian surface, 85 L/3.0 c ft fridge/freezer, storage, wash basin and AC power sockets

Settee seating with folding table to port

Insulated cooler and drain built into seating port

Convertible seating aft that converts to sunbed, facing forwards or aft

Seating at aft deck on port and starboard sides which face forward

Entire deck area self draining aft with additional scuppers forward

Side boarding doors port and starboard with heavy duty hardware

Stainless steel gate to large aft swim platform

Opening in windscreen and lower door for easy access to forward seating

Anchor locker hatch with separate chain locker hatch

Storage lockers forward in each hull with access from under forward seats

Storage locker under floor in forward seating area

Storage lockers under all aft seating

Large aft hatches for access to equipment lockers

Large aft hatch in swim platform with custom stainless steel retractable swim ladder with teak steps

Easy lift gas shocks for all large hatches

Integrated targa arch

Hard top with stainless steel supports and two (2) opening deck hatches

All exterior upholstery designed by leading international company

All upper deck furniture in FRP elevated off the floor for ease of cleaning and drainage

## Hull and Deck Equipment

Stainless steel railings and handholds in AIS 316L

Custom built PVC rub rail with 316L stainless steel insert offering all round protection

Windscreen in tempered glass with custom aluminum frame

Variable speed windscreen wiper with control mounted at helm

Anchor platform and roller in 316L stainless steel

Electric windlass (12v-1000W) with handheld control

Polished stainless steel 35 lb anchor with rope (200 ft), chain (15 ft), and bridle attachment rigging

10x pop up mooring cleats in solid 316L polished stainless steel and thru bolted

Deck fill plates in 316L stainless steel; water; fuel (2); waste (2)

Emergency ladder

LED navigation lights—port, starboard, anchor and running light

Port and starboard Integrated side boarding gate with robust SS hardware

Four (4) LED drink holders for forward cockpit

Ten (10) drink holders between helm and aft deck area

Two (2) 30 amp shore power inlet supply plugs

LED overhead lights in hardtop for settee and galley

Multi zone sound system with Fusion head unit (Bluetooth) with six (6) Fusion 6" speakers

Two (2) fishing rod holders on port and starboard side aft quarter

## Helmsman Station

Adjustable seat comfortably sitting two passengers with individual flip-up bolsters

Electronic engine double lever throttle and gearshift control

Mercury Joystick Piloting control

Mercury VesselView 4" display with Active Trim Control

Variable position steering wheel with Aquila stainless steel steering wheel

Magnetic compass

Automatic Halon fire alarm for each fuel tank area

Mercury Verado power assist steering

Two (2) cup holders

Switch panel for common items for ease of use

Horn control

USB and 12v outlet at helm and port side pilot seat

AC power sockets under seating

Stainless steel foot rest

## Cabins

V double berth in each cabin

Memory foam mattresses

Wood furniture in plywood with light wood composite laminate and matching hard wood trim

Synthetic wear resistant flooring offering maintenance free natural look

Side and ceiling panels upholstered

Storage shelves, lockers and drawers

Electric variable speed fan in each cabin

Designated microwave area with AC outlet

Blinds for all windows and hatches

LED overhead lights

LED reading lights

AC power sockets

Carbon monoxide alarm in each cabin

Deck hatch above each bed for ventilation

Large hull windows bringing in a lot of light

## Heads

FRP module with upholstered sides and storage lockers in composite laminate surface

Basin surface in Corian

Ceiling and inboard sides in low maintenance FRP finish

Teak grate in shower area

Fresh water mixer faucet with pull out shower head

Mirror

Large window with pull down blinds

Shower curtain mounted on track

Electric fresh water flush toilet with macerator, holding tank located behind air tight bulkhead

Stainless steel towel hanger above toilet

Large aft storage locker combined with hanging locker

Storage lockers on inboard side

LED overhead lights

Opening hull port light

*All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non binding and customer must enter into contractual agreement with the Dealer or Agent of Record.*



estupendanautica.com  
info@estupendanautica.com

## Electrical System

Master control panel for 12v and shore power service at  
starboard companion way hatch  
Helm station LED push button electrical panel  
Remote battery master switches at panel  
Engine parallel control remote switch  
Two (2) dedicated engine start batteries each located in aft locker  
Two (2) AGM 200 Ah house batteries  
Battery trays with mounts  
Inverter/battery charger 120a/3000VA  
Volt meter and amp meter  
Galvanic isolator system  
Reverse polarity indicator  
Multi zone entertainment system master unit at helm station  
Two (2) 30 amp shore power supply plugs

## Fuel System

Fully independent heavy gauge aluminum tanks totaling 1250 L/  
330 gal with gauge at helm station  
Manual fuel shut off valves  
Fuel tank vents  
Natural ventilation of locker plus forced air ventilation controlled  
from dash board  
Water and air tight bulkhead separating cabin area  
Mercury fuel filters  
Automatic fire suppression heat activated system with alarm  
monitors at helm station for fuel tank area

## Water and Bilge System

200 L/52 gal fresh water tank  
Automatic 12v fresh water pump  
40 L/10.5 gal water heater (only operable from shore power  
and/or optional generator)  
Transom pull out shower mixer  
Faucet – wet bar  
Pullout sprayer in each head  
Four (4) automatic 12v bilge pumps

## Grey Water System

Automatic grey water pump connected to each shower drain for  
direct overboard discharge

## Black Water System

Two independent 80 L/21 gal tanks located aft of air tight  
bulkhead  
Deck evacuation or electric direct overboard pump separately  
controlled